

NATURAL RESOURCES CONSERVATION SERVICE  
CONSERVATION PRACTICE STANDARD

ANIMAL TRAILS AND WALKWAYS

(Ft.)

CODE 575

**DEFINITION**

Established lanes or travel ways that facilitate animal movement.

**PURPOSES**

- Provide or improve access to forage, water, working/handling facilities, and/or shelter,
- Improve grazing efficiency and distribution, and/or
- Protect ecologically sensitive, erosive and/or potentially erosive sites.

**CONDITIONS WHERE THIS PRACTICE APPLIES**

On lands where control of animal movement is needed to facilitate access, improve grazing, prevent erosion, and/or protect ecologically sensitive areas.

**CRITERIA**

**General Criteria Applicable to All Purposes**

All planned work shall comply with all federal, state, and local laws and permit conditions and requirements. The landowner shall obtain all necessary permits prior to construction or any land clearing activities.

Animal trails or walkways shall be constructed wide enough to accommodate the equipment used for construction, movement of animals and access by operator for operation and maintenance.

Animal trails or walkways shall be located such that they will meet the intended purpose, are easily maintained, and will remain stable.

Trails or walkways shall be constructed in such a manner that accelerated erosion will not occur. Where necessary, diversions with a stable outlet will be provided. Side slopes shall be 2 H to 1 V, maximum. All earthfill and cut slopes shall be revegetated in accordance with Virginia Conservation Practice Standard *Critical Area Planting* (Code 342).

Sensitivity of the animal's feet, with respect to the intended purpose of the trail or walkway, will be included as a design parameter in selecting the surface material for trails or walkways.

Trails or walkways seeded or planted to vegetative cover will be protected from grazing until the vegetation is fully established and capable of withstanding grazing and/or trampling. Vegetative cover shall be established in accordance with Virginia Conservation Practice Standard *Critical Area Planting* (Code 342). Where maintaining vegetative cover is not possible, Virginia Conservation Practice Standard *Heavy Use Area Protection* (Code 561) will be used to provide adequate surface protection.

Virginia Conservation Practice Standard *Fence* (Code 382) will be used when needed to keep animals confined to the trail or walkway until the desired destination is reached.

**Drainage and Erosion Control.** Provisions shall be made for surface and subsurface drainage, as needed, and for disposal of runoff water without causing erosion or water quality impairment. The type of drainage structure used will depend on the intended use and runoff conditions.

Virginia Conservation Practice Standard *Stream Crossing* (Code 578) shall be used when a trail or walkway crosses a stream.

For drainageway crossings, the capacity and design shall be consistent with sound engineering principles and shall be adequate for the intended use. When a culvert or bridge is installed in a drainageway, its minimum capacity shall convey the 2-year, 24-hour frequency storm runoff without causing erosion or road overtopping.

Water bars and/or broadbased drainage dips shall be used to prevent accelerated erosion from occurring along the trail or walkway. Virginia Engineering Design Guide #1 - Road Drainage Practices, shall be used to design these structures.

**Additional Criteria Applicable to Providing or Improving Access to Forage, Water, Working/Handling Facilities and/or Shelter**

Trails and walkways will be designed and constructed of sufficient size to accommodate the expected frequency of use and animal type(s) planned for the operation.

When needed to facilitate movement of animals through a series of paddocks or pastures, gate openings and lane layouts shall allow for efficient flow of animals with the least amount of stress.

**Additional Criteria Applicable to Improving Grazing Efficiency and Distribution**

Fenced or unfenced animal trails or walkways will be used to distribute grazing to overcome terrain features causing uneven grazing distribution and pressure.

**Additional Criteria Applicable to Protection of Ecologically Sensitive Areas.**

Cultural resources, threatened or endangered species, wetlands, streambanks, floodways or other ecologically sensitive areas, and areas of special scenic value will be protected through the proper design of trail(s) or walkway(s).

## CONSIDERATIONS

Virginia Conservation Practice Standard *Prescribed Grazing* (Code 528A), can be used to further improve grazing distribution and pressure.

Other conservation practices, such as Virginia Conservation Practice Standard *Use Exclusion* (Code 472) can be used in conjunction with

trails or walkways to minimize the impact on sensitive areas.

For areas of high livestock concentration, such as around ponds, tanks, troughs, or other feeding areas, use Virginia Conservation Practice Standard *Heavy Use Area Protection* (Code 561).

For travelways used by vehicles or equipment for purposes other than management and maintenance of animal trails or walkways, use Virginia Conservation Practice Standard *Access Road* (Code 560).

A vegetated buffer width of 35' should be maintained between the trail or walkway and bodies of water, sinkholes, or other sensitive areas.

## PLANS AND SPECIFICATIONS

Plans and specifications for installing animal trails or walkways shall be in keeping with this standard and shall describe the requirements for applying the practice to achieve its intended purpose. Plans and specifications shall include construction plans, drawings, job sheets or other similar documents. These documents shall specify the requirements for installing the practice, including the location and the kind, amount, and quality of materials to be used.

Record all required information in an engineer field book, on a plan sheet or design computation sheet, or in another appropriate location.

## DESIGN DATA

1. Completed Environmental Evaluation (Form VA-EE-1) and subsequent requirements.
2. Soils investigation.
3. Survey and plot data: profile, cross-sections, topography, as needed.
4. Design computations, including purpose of practice and references used. Include:
  - a. Grade or percent slope of trail or walkway; alignment of turns, surface materials.
  - b. Show computations for surface water controls, water bars, drainage structures and outlets, as needed.
  - c. Subsurface treatment, if applicable.

- d. Location, extent, and specifications of fencing required.
5. Plan view of site with existing and planned features, including dimensions, distances, buildings, fences, erosion control measures, etc. Include connection to Heavy Use Area and/or transition to pasture or paddocks.
6. Standard Cover Sheet (VA-SO-100A).
7. Materials and quantities needed. Identify borrow material and/or spoil area, as needed.
8. Vegetation and/or ground cover requirements.
9. Identification of needed Erosion & Sediment Control measures.
10. Supplemental practices required.
11. Virginia Conservation Practice Specifications (700 Series).
12. Operation and Maintenance Plan.

#### CHECK DATA

1. As-built survey.
2. As-built plans including dimensions, types and quantities of materials installed, cross-slopes and grades of constructed trails and/or walkways, alignment of turns, and variations from design. Include justification for variations.
3. Locations of appurtenant practices.
4. Adequacy of vegetation and/or ground cover.
5. Complete as-built section of Cover Sheet.

#### OPERATION AND MAINTENANCE

The operation and maintenance (O&M) plan shall specify that the trails or walkways and associated practices be inspected annually and after significant storm events to identify repair and maintenance needs.

The O&M plan shall detail the level of repairs needed to maintain the effectiveness and useful life of the practice. These repairs should include, but are not limited to, the following:

- Periodic grading or re-shaping trails or walkways to maintain the designed grade and dimensions,
- Periodic addition of surfacing materials where used,
- Re-seeding of areas in which the vegetation has been damaged or destroyed, and/or
- Mending of fences and replacement of gates.

Periodic removal and management of manure accumulations will be addressed in the O&M plan.

For multiple adjacent vegetated walkways, the O&M plan should provide guidance as to the rotation of walkways to allow for recovery of vegetation and for improvement of traffic - supporting conditions.

#### REFERENCES

Virginia NRCS FOTG, Section IV

Virginia Engineering Design Guide #575 – Animal Trails and Walkways

Virginia Engineering Design Guide #1 – Road Drainage Practices

"The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.